








电动机机型一览表

切齿轴电动机 [日本国内规格]

尺寸 (mm)		感应式				可逆转式				
		导线类型		密封式连接器类型		导线类型		密封式连接器类型		
										
电压 输出	100V 页次	200V 页次	100V 页次	200V 页次	100V 页次	200V 页次	100V 页次	200V 页次		
□42	1W	M41A1G4L				M4RA1G4L				
	3W									
□60	3W	M61X3G4L								
	4W					M6RX4G4L				
	6W	M61X6G4L	M61X6G4Y			M6RX6G4L	M6RX6G4Y			
□70	10W	M71X10G4L	M71X10G4Y			M7RX10G4L	M7RX10G4Y			
	15W	M71X15G4L	M71X15G4Y			M7RX15G4L	M7RX15G4Y			
□80	15W	M81X15G4L	M81X15G4Y							
	20W					M8RX20G4L	M8RX20G4Y			
	25W	M81X25G4L	M81X25G4Y	M81X25GK4L	M81X25GK4Y	M8RX25G4L	M8RX25G4Y	M8RX25GK4L	M8RX25GK4Y	
□90	40W	M91X40G4L	M91X40G4Y	M91X40GK4L	M91X40GK4Y	M9RX40G4L	M9RX40G4Y	M9RX40GK4L	M9RX40GK4Y	
	60W	M91Z60G4L	M91Z60G4Y	M91Z60GK4L	M91Z60GK4Y	M9RZ60G4L	M9RZ60G4Y	M9RZ60GK4L	M9RZ60GK4Y	
	90W	M91Z90G4L	M91Z90G4Y	M91Z90GK4L	M91Z90GK4Y	M9RZ90G4L	M9RZ90G4Y	M9RZ90GK4L	M9RZ90GK4Y	

	三相		带电磁制动器, 单相		带电磁制动器 三相	可变速型感应式		电压/输出	尺寸 (mm)
	导线类型	密封式连接器类型	导线类型		导线类型	导线类型			
									
200/220V	200/220V	100V	200V	200/220V	100V	200V			
页次	页次	页次	页次	页次	页次	页次			
								1W	□42
								3W	
						M61X3GV4L		3W	□60
								4W	
			M6RX6GB4L	M6RX6GB4Y		M61X6GV4L	M61X6GV4Y	6W	
						M71X10GV4L	M71X10GV4Y	10W	□70
			M7RX15GB4L	M7RX15GB4Y		M71X15GV4L	M71X15GV4Y	15W	
						M81X15GV4L	M81X15GV4Y	15W	□80
								20W	
	M8MX25G4Y	M8MX25GK4Y	M8RX25GB4L	M8RX25GB4Y	M8MX25GB4Y	M81X25GV4L	M81X25GV4Y	25W	
	M9MX40G4Y	M9MX40GK4Y	M9RX40GB4L	M9RX40GB4Y	M9MX40GB4Y	M91X40GV4L	M91X40GV4Y	40W	□90
	M9MZ60G4Y	M9MZ60GK4Y	M9RZ60GB4L	M9RZ60GB4Y	M9MZ60GB4Y	M91Z60GV4L	M91Z60GV4Y	60W	
	M9MZ90G4Y	M9MZ90GK4Y	M9RZ90GB4L	M9RZ90GB4Y	M9MZ90GB4Y	M91Z90GV4L	M91Z90GV4Y	90W	

电动机机型一览表

切齿轴电动机 [日本国内规格]

		可变速型可逆转式		可变速型带电磁制动器单相		可变速型部件			
		导线类型 		导线类型 		US系列 		UX系列 	
尺寸 (mm)	电压 输出	100V	200V	100V	200V	100V	200V	100V	200V
		页次	页次	页次	页次	页次	页次	页次	页次
□42	1W								
	3W								
□60	3W								
	4W	M6RX4GV4L							
	6W	M6RX6GV4L	M6RX6GV4Y	M6RX6GBV4L	M6RX6GBV4Y	MUSN606GL	MUSN606GY	MUXN606GL	MUXN606GY
□70	10W	M7RX10GV4L	M7RX10GV4Y						
	15W	M7RX15GV4L	M7RX15GV4Y	M7RX15GBV4L	M7RX15GBV4Y	MUSN715GL	MUSN715GY	MUXN715GL	MUXN715GY
□80	15W								
	20W	M8RX20GV4L	M8RX20GV4Y						
	25W	M8RX25GV4L	M8RX25GV4Y	M8RX25GBV4L	M8RX25GBV4Y	MUSN825GL	MUSN825GY	MUXN825GL	MUXN825GY
□90	40W	M9RX40GV4L	M9RX40GV4Y	M9RX40GBV4L	M9RX40GBV4Y	MUSN940GL	MUSN940GY	MUXN940GL	MUXN940GY
	60W	M9RZ60GV4L	M9RZ60GV4Y			MUSN960GL	MUSN960GY	MUXN960GL	MUXN960GY
	90W	M9RZ90GV4L	M9RZ90GV4Y			MUSN990GL	MUSN990GY	MUXN990GL	MUXN990GY








	C&B感应式				C&B三相		C&B可变速感应式		电压/输出	尺寸 (mm)
	导线类型		密封式连接器		导线类型	密封式连接器	导线类型			
										
100V 页次	200V 页次	100V 页次	200V 页次	200/220V 页次	200/220V 页次	100V 页次	200V 页次			
									1W	□42
									3W	
									3W	
									4W	□60
									6W	
									10W	
									15W	□70
									15W	
									20W	□80
									25W	
									40W	
									60W	□90
									90W	

请咨询。

电动机机型一览表

切齿轴电动机 [日本国内规格]

尺寸 (mm)		感应式				可逆转式				
		导线类型		密封式连接器类型		导线类型		密封式连接器类型		
										
电压 输出	100V 页次	200V 页次	100V 页次	200V 页次	100V 页次	200V 页次	100V 页次	200V 页次		
□42	1W	M41A1S4L				M4RA1S4L				
	3W									
□60	3W	M61X3S4LS								
	4W					M6RX4S4LS				
	6W	M61X6S4LS	M61X6S4YS			M6RX6S4LS	M6RX6S4YS			
□70	10W	M71X10S4LS	M71X10S4YS			M7RX10S4LS	M7RX10S4YS			
	15W	M71X15S4LS	M71X15S4YS			M7RX15S4LS	M7RX15S4YS			
□80	15W	M81X15S4LS	M81X15S4YS							
	20W					M8RX20S4LS	M8RX20S4YS			
	25W	M81X25S4LS	M81X25S4YS	M81X25SK4LS	M81X25SK4YS	M8RX25S4LS	M8RX25S4YS	M8RX25SK4LS	M8RX25SK4YS	
□90	40W	M91X40S4LS	M91X40S4YS	M91X40SK4LS	M91X40SK4YS	M9RX40S4LS	M9RX40S4YS	M9RX40SK4LS	M9RX40SK4YS	
	60W	M91Z60S4LS	M91Z60S4YS	M91Z60SK4LS	M91Z60SK4YS	M9RZ60S4LS	M9RZ60S4YS	M9RZ60SK4LS	M9RZ60SK4YS	
	90W	M91Z90S4LS	M91Z90S4YS	M91Z90SK4LS	M91Z90SK4YS	M9RZ90S4LS	M9RZ90S4YS	M9RZ90SK4LS	M9RZ90SK4YS	


	三相		带电磁制动器, 单相		带电磁制动器 三相	可变速型感应式		电压 / 输出	尺寸 (mm)
	导线类型	密封式连接器类型	导线类型		导线类型	导线类型			
									
	200/220V	200/220V	100V	200V	200/220V	100V	200V		
	页次	页次	页次	页次	页次	页次	页次		
								1W	□42
								3W	
						M61X3SV4LS		3W	□60
								4W	
			M6RX6SB4LS	M6RX6SB4YS		M61X6SV4LS	M61X6SV4YS	6W	
						M71X10SV4LS	M71X10SV4YS	10W	□70
			M7RX15SB4LS	M7RX15SB4YS		M71X15SV4LS	M71X15SV4YS	15W	
						M81X15SV4LS	M81X15SV4YS	15W	□80
								20W	
	M8MX25S4YS	M8MX25SK4YS	M8RX25SB4LS	M8RX25SB4YS	M8MX25SB4YS	M81X25SV4LS	M81X25SV4YS	25W	
	M9MX40S4YS	M9MX40SK4YS	M9RX40SB4LS	M9RX40SB4YS	M9MX40SB4YS	M91X40SV4LS	M91X40SV4YS	40W	□90
	M9MZ60S4YS	M9MZ60SK4YS	M9RZ60SB4LS	M9RZ60SB4YS	M9MZ60SB4YS	M91Z60SV4LS	M91Z60SV4YS	60W	
	M9MZ90S4YS	M9MZ90SK4YS	M9RZ90SB4LS	M9RZ90SB4YS	M9MZ90SB4YS	M91Z90SV4LS	M91Z90SV4YS	90W	



电动机机型一览表



圆轴电动机 [日本国内规格]

2极电动机 [日本国内规格]

■ 切齿轴 ■ 圆轴

尺寸 (mm)		电压 输出	可变速型可逆转式	
			导线类型	
				
			100V 页次	200V 页次
□42	1W			
	3W			
□60	3W			
	4W	M6RX4SV4LS		
	6W	M6RX6SV4LS	M6RX6SV4YS	
□70	10W	M7RX10SV4LS	M7RX10SV4YS	
	15W	M7RX15SV4LS	M7RX15SV4YS	
□80	15W			
	20W	M8RX20SV4LS	M8RX20SV4YS	
	25W	M8RX25SV4LS	M8RX25SV4YS	
□90	40W	M9RX40SV4LS	M9RX40SV4YS	
	60W	M9RZ60SV4LS	M9RZ60SV4YS	
	90W	M9RZ90SV4LS	M9RZ90SV4YS	


尺寸 (mm)		电压 输出	感应式		
			导线类型		
					三 相 导线类型 
			100V 页次	100V 页次	200/220V 页次
□42	1W				
	3W	M41A3G2L	M41A3S2L		
□60	3W				
	4W				
	6W				
□70	10W				
	15W				
□80	20W		M81X20S2LS	M81X20S2YS	
	40W		M81X40S2LS	M81X40S2YS	M8MX40S2YS
	60W		M81X60S2LS	M81X60S2YS	M8MX60S2YS
□90	60W		M91X60S2LS	M91X60S2YS	M9MX60S2YS
	90W		M91Z90S2LS	M91Z90S2YS	M9MZ90S2YS
	150W		M91ZA5S2LS	M91ZA5S2YS	M9MZA5S2YS

尺寸 (mm)		感应式							
		导线类型 				密封式连接器类型 			
		100V 页次	110/115V 页次	200V 页次	220/230V 页次	100V 页次	110/115V 页次	200V 页次	220/230V 页次
□42	1W								
	3W								
□60	3W								
	4W								
	6W	M61X6G4LGA	M61X6G4DGA	M61X6G4YGA	M61X6G4GGA				
□70	10W								
	15W	M71X15G4LGA	M71X15G4DGA	M71X15G4YGA	M71X15G4GGA				
□80	15W								
	20W								
	25W	M81X25G4LGA	M81X25G4DGA	M81X25G4YGA	M81X25G4GGA	M81X25GK4LGA	M81X25GK4DGA	M81X25GK4YGA	M81X25GK4GGA
□90	40W	M91X40G4LGA	M91X40G4DGA	M91X40G4YGA	M91X40G4GGA	M91X40GK4LGA	M91X40GK4DGA	M91X40GK4YGA	M91X40GK4GGA
	60W	M91Z60G4LGA	M91Z60G4DGA	M91Z60G4YGA	M91Z60G4GGA	M91Z60GK4LGA	M91Z60GK4DGA	M91Z60GK4YGA	M91Z60GK4GGA
	90W	M91Z90G4LGA	M91Z90G4DGA	M91Z90G4YGA	M91Z90G4GGA	M91Z90GK4LGA	M91Z90GK4DGA	M91Z90GK4YGA	M91Z90GK4GGA

电动机机型一览表

切齿轴电动机 [海外标准对应规格]

		可逆转式								
		导线类型 				密封式连接器类型 				
尺寸 (mm)	电压 输出	100V	110/115V	200V	220/230V	100V	110/115V	200V	220/230V	
		页次	页次	页次	页次	页次	页次	页次	页次	
□42	1W									
	3W									
□60	3W									
	4W									
	6W	M6RX6G4LGA	M6RX6G4DGA	M6RX6G4YGA	M6RX6G4GGA					
□70	10W									
	15W	M7RX15G4LGA	M7RX15G4DGA	M7RX15G4YGA	M7RX15G4GGA					
□80	15W									
	20W									
	25W	M8RX25G4LGA	M8RX25G4DGA	M8RX25G4YGA	M8RX25G4GGA	M8RX25GK4LGA	M8RX25GK4DGA	M8RX25GK4YGA	M8RX25GK4GGA	
□90	40W	M9RX40G4LGA	M9RX40G4DGA	M9RX40G4YGA	M9RX40G4GGA	M9RX40GK4LGA	M9RX40GK4DGA	M9RX40GK4YGA	M9RX40GK4GGA	
	60W	M9RZ60G4LGA	M9RZ60G4DGA	M9RZ60G4YGA	M9RZ60G4GGA	M9RZ60GK4LGA	M9RZ60GK4DGA	M9RZ60GK4YGA	M9RZ60GK4GGA	
	90W	M9RZ90G4LGA	M9RZ90G4DGA	M9RZ90G4YGA	M9RZ90G4GGA	M9RZ90GK4LGA	M9RZ90GK4DGA	M9RZ90GK4YGA	M9RZ90GK4GGA	

	三 相			带电磁制动器, 单相				带电磁制动器 三相	电 压 / 输 出	尺 寸 (mm)
	导线类型	密封式连接器类型		导线类型				导线类型		
										
200/220/230V	200/220/230V	380/400V	100V	110/115V	200V	220/230V	200/220/230V	页次		
		页次	页次	页次	页次	页次	页次	页次	1W	□42
									3W	
									3W	□60
									4W	
				M6RX6GB4LGA	M6RX6GB4DGA	M6RX6GB4YGA	M6RX6GB4GGA		6W	
									10W	
									15W	□70
				M7RX15GB4LGA	M7RX15GB4DGA	M7RX15GB4YGA	M7RX15GB4GGA		15W	
									15W	□80
									20W	
	M8MX25G4YGA	M8MX25GK4YGA	M8MX25GK4CGA	M8RX25GB4LGA	M8RX25GB4DGA	M8RX25GB4YG A	M8RX25GB4GGA	M8MX25GB4YGA	25W	
	M9MX40G4YGA	M9MX40GK4YGA	M9MX40GK4CGA	M9RX40GB4LGA	M9RX40GB4DGA	M9RX40GB4YGA	M9RX40GB4GGA	M9MX40GB4YGA	40W	□90
	M9MZ60G4YGA	M9MZ60GK4YGA	M9MZ60GK4CGA	M9RZ60GB4LGA	M9RZ60GB4DGA	M9RZ60GB4YGA	M9RZ60GB4GGA	M9MZ60GB4YGA	60W	
	M9MZ90G4YGA	M9MZ90GK4YGA	M9MZ90GK4CGA	M9RZ90GB4LGA	M9RZ90GB4DGA	M9RZ90GB4YGA	M9RZ90GB4GGA	M9MZ90GB4YGA	90W	

电动机机型一览表

切齿轴电动机 [海外标准对应规格]



		可变速型感应式				可变速型可逆转式				
		导线类型 				导线类型 				
尺寸 (mm)	电压 输出	100V	110/115V	200V	220/230V	100V	110/115V	200V	220/230V	
		页次	页次	页次	页次	页次	页次	页次	页次	
□42	1W									
	3W									
□60	3W									
	4W									
	6W	M61X6GV4LGA	M61X6GV4DGA	M61X6GV4YGA	M61X6GV4GGA	M6RX6GV4LGA	M6RX6GV4DGA	M6RX6GV4YGA	M6RX6GV4GGA	
□70	10W									
	15W	M71X15GV4LGA	M71X15GV4DGA	M71X15GV4YGA	M71X15GV4GGA	M7RX15GV4LGA	M7RX15GV4DGA	M7RX15GV4YGA	M7RX15GV4GGA	
□80	15W									
	20W									
	25W	M81X25GV4LGA	M81X25GV4DGA	M81X25GV4YGA	M81X25GV4GGA	M8RX25GV4LGA	M8RX25GV4DGA	M8RX25GV4YGA	M8RX25GV4GGA	
□90	40W	M91X40GV4LGA	M91X40GV4DGA	M91X40GV4YGA	M91X40GV4GGA	M9RX40GV4LGA	M9RX40GV4DGA	M9RX40GV4YGA	M9RX40GV4GGA	
	60W	M91Z60GV4LGA	M91Z60GV4DGA	M91Z60GV4YGA	M91Z60GV4GGA	M9RZ60GV4LGA	M9RZ60GV4DGA	M9RZ60GV4YGA	M9RZ60GV4GGA	
	90W	M91Z90GV4LGA	M91Z90GV4DGA	M91Z90GV4YGA	M91Z90GV4GGA	M9RZ90GV4LGA	M9RZ90GV4DGA	M9RZ90GV4YGA	M9RZ90GV4GGA	

	感应式								电 压 / 输 出	尺 寸 (mm)
	导线类型 				密封式连接器类型 					
	100V	110/115V 页次	200V 页次	220/230V 页次	100V 页次	110/115V 页次	200V 页次	220/230V 页次		
									1W	□42
									3W	
									3W	□60
									4W	
	M61X6S4LGA	M61X6S4DGA	M61X6S4YGA	M61X6S4GGA					6W	
									10W	□70
	M71X15S4LGA	M71X15S4DGA	M71X15S4YGA	M71X15S4GGA					15W	
									15W	□80
									20W	
	M81X25S4LGA	M81X25S4DGA	M81X25S4YGA	M81X25S4GGA	M81X25SK4LGA	M81X25SK4DGA	M81X25SK4YGA	M81X25SK4GGA	25W	
	M91X40S4LGA	M91X40S4DGA	M91X40S4YGA	M91X40S4GGA	M91X40SK4LGA	M91X40SK4DGA	M91X40SK4YGA	M91X40SK4GGA	40W	□90
	M91Z60S4LGA	M91Z60S4DGA	M91Z60S4YGA	M91Z60S4GGA	M91Z60SK4LGA	M91Z60SK4DGA	M91Z60SK4YGA	M91Z60SK4GGA	60W	
	M91Z90S4LGA	M91Z90S4DGA	M91Z90S4YGA	M91Z90S4GGA	M91Z90SK4LGA	M91Z90SK4DGA	M91Z90SK4YGA	M91Z90SK4GGA	90W	

电动机机型一览表

圆轴电动机 [海外标准对应规格]

		可逆转式								
		导线类型 				密封式连接器类型 				
尺寸 (mm)	电压 输出	100V	110/115V	200V	220/230V	100V	110/115V	200V	220/230V	
		页次	页次	页次	页次	页次	页次	页次	页次	
□42	1W									
	3W									
□60	3W									
	4W									
	6W	M6RX6S4LGA	M6RX6S4DGA	M6RX6S4YGA	M6RX6S4GGA					
□70	10W									
	15W	M7RX15S4LGA	M7RX15S4DGA	M7RX15S4YGA	M7RX15S4GGA					
□80	15W									
	20W									
	25W	M8RX25S4LGA	M8RX25S4DGA	M8RX25S4YGA	M8RX25S4GGA	M8RX25SK4LGA	M8RX25SK4DGA	M8RX25SK4YGA	M8RX25SK4GGA	
□90	40W	M9RX40S4LGA	M9RX40S4DGA	M9RX40S4YGA	M9RX40S4GGA	M9RX40SK4LGA	M9RX40SK4DGA	M9RX40SK4YGA	M9RX40SK4GGA	
	60W	M9RZ60S4LGA	M9RZ60S4DGA	M9RZ60S4YGA	M9RZ60S4GGA	M9RZ60SK4LGA	M9RZ60SK4DGA	M9RZ60SK4YGA	M9RZ60SK4GGA	
	90W	M9RZ90S4LGA	M9RZ90S4DGA	M9RZ90S4YGA	M9RZ90S4GGA	M9RZ90SK4LGA	M9RZ90SK4DGA	M9RZ90SK4YGA	M9RZ90SK4GGA	



	三 相			带电磁制动器, 单相				带电磁制动器 三相	电 压 / 输 出	尺 寸 (mm)
	导线类型	密封式连接器类型		导线类型				导线类型		
										
200/220/230V	200/220/230V	380/400V	100V	110/115V	200V	220/230V	200/220/230V	页次		
		页次	页次	页次	页次	页次	页次	页次	1W	□42
									3W	
									3W	□60
									4W	
				M6RX6SB4LGA	M6RX6SB4DGA	M6RX6SB4YGA	M6RX6SB4GGA		6W	
									10W	
									15W	□70
				M7RX15SB4LGA	M7RX15SB4DGA	M7RX15SB4YGA	M7RX15SB4GGA		15W	
									15W	□80
									20W	
	M8MX25S4YGA	M8MX25SK4YGA	M8MX25SK4CGA	M8RX25SB4LGA	M8RX25SB4DGA	M8RX25SB4YGA	M8RX25SB4GGA	M8MX25SB4YGA	25W	
	M9MX40S4YGA	M9MX40SK4YGA	M9MX40SK4CGA	M9RX40SB4LGA	M9RX40SB4DGA	M9RX40SB4YGA	M9RX40SB4GGA	M9MX40SB4YGA	40W	□90
	M9MZ60S4YGA	M9MZ60SK4YGA	M9MZ60SK4CGA	M9RZ60SB4LGA	M9RZ60SB4DGA	M9RZ60SB4YGA	M9RZ60SB4GGA	M9MZ60SB4YGA	60W	
	M9MZ90S4YGA	M9MZ90SK4YGA	M9MZ90SK4CGA	M9RZ90SB4LGA	M9RZ90SB4DGA	M9RZ90SB4YGA	M9RZ90SB4GGA	M9MZ90SB4YGA	90W	

电动机机型一览表

圆轴电动机 [海外标准对应规格]




		可变速型感应式				可变速型可逆转式			
		导线类型 				导线类型 			
尺寸 (mm)	电压 输出	100V	110/115V	200V	220/230V	100V	110/115V	200V	220/230V
		页次	页次	页次	页次	页次	页次	页次	页次
□42	1W								
	3W								
□60	3W								
	4W								
	6W	M61X6SV4LGA	M61X6SV4DGA	M61X6SV4YGA	M61X6SV4GGA	M6RX6SV4LGA	M6RX6SV4DGA	M6RX6SV4YGA	M6RX6SV4GGA
□70	10W								
	15W	M71X15SV4LGA	M71X15SV4DGA	M71X15SV4YGA	M71X15SV4GGA	M7RX15SV4LGA	M7RX15SV4DGA	M7RX15SV4YGA	M7RX15SV4GGA
□80	15W								
	20W								
	25W	M81X25SV4LGA	M81X25SV4DGA	M81X25SV4YGA	M81X25SV4GGA	M8RX25SV4LGA	M8RX25SV4DGA	M8RX25SV4YGA	M8RX25SV4GGA
□90	40W	M91X40SV4LGA	M91X40SV4DGA	M91X40SV4YGA	M91X40SV4GGA	M9RX40SV4LGA	M9RX40SV4DGA	M9RX40SV4YGA	M9RX40SV4GGA
	60W	M91Z60SV4LGA	M91Z60SV4DGA	M91Z60SV4YGA	M91Z60SV4GGA	M9RZ60SV4LGA	M9RZ60SV4DGA	M9RZ60SV4YGA	M9RZ60SV4GGA
	90W	M91Z90SV4LGA	M91Z90SV4DGA	M91Z90SV4YGA	M91Z90SV4GGA	M9RZ90SV4LGA	M9RZ90SV4DGA	M9RZ90SV4YGA	M9RZ90SV4GGA

		感应式				三相
		导线类型				导线类型
						
尺寸 (mm)	电压 输出	100V	110/115V	200V	220/230V	200/220/230V
		页次	页次	页次	页次	页次
□42	1W					
	3W					
□60	3W					
	4W					
	6W					
□70	10W					
	15W					
□80	20W					
	40W	M81X40S2LGA	M81X40S2DGA	M81X40S2YGA	M81X40S2GGA	M8MX40S2YGA
	60W	M81X60S2LGA	M81X60S2DGA	M81X60S2YGA	M81X60S2GGA	M8MX60S2YGA
□90	60W	M91X60S2LGA	M91X60S2DGA	M91X60S2YGA	M91X60S2GGA	M9MX60S2YGA
	90W	M91Z90S2LGA	M91Z90S2DGA	M91Z90S2YGA	M91Z90S2GGA	M9MZ90S2YGA
	150W	M91ZA5S2LGA	M91ZA5S2DGA	M91ZA5S2YGA	M91ZA5S2GGA	M9MZA5S2YGA

电动机机型一览表


齿轮头

尺寸 (mm)	減速比	齿轮头		
		滚珠轴承 	铰链	
		页		
□42				
□60	1/3,1/3.6, 1/5, 1/6, 1/7.5, 1/9, 1/10, 1/12.5, 1/15, 1/18	MX6G3BA~MX6G18BA		
	1/20, 1/25, 1/30, 1/36	MX6G20BA~MX6G36B		
	1/50, 1/60, 1/75, 1/90, 1/100, 1/120, 1/150, 1/180	MX6G50B ~MX6G180B		
□70	1/3,1/3.6, 1/5, 1/6, 1/7.5, 1/9, 1/10, 1/12.5, 1/15, 1/18	MX7G3BA~MX7G18BA		
	1/20, 1/25, 1/30, 1/36	MX7G20BA~MX7G36B		
	1/50, 1/60, 1/75, 1/90, 1/100, 1/120, 1/150, 1/180	MX7G50B~MX7G180B		
□80	1/3,1/3.6, 1/5, 1/6, 1/7.5, 1/9, 1/10, 1/12.5, 1/15, 1/18	MX8G3B~MX8G18B		
	1/20, 1/25, 1/30, 1/36	MX8G20B~MX8G36B		
	1/50, 1/60, 1/75, 1/90, 1/100, 1/120, 1/150, 1/180	MX8G50B~MX8G180B		
□90	40W	1/3,1/3.6, 1/5, 1/6, 1/7.5, 1/9, 1/10, 1/12.5, 1/15, 1/18	MX9G3B~MX9G18B	
		1/20, 1/25, 1/30, 1/36	MX9G20B~MX9G36B	
		1/50, 1/60, 1/75, 1/90, 1/100, 1/120, 1/150, 1/180	MX9G50B~MX9G180B	
	60W · 90W 共用	1/3, 1/3.6, 1/5, 1/6, 1/7.5, 1/9	MZ9G3B~MZ9G9B	
		1/10, 1/12.5, 1/15, 1/18	MZ9G10B~MZ9G18B	
		1/20, 1/25, 1/30, 1/36, 1/50, 1/60	MZ9G20B~MZ9G60B	
		1/75, 1/90, 1/100, 1/120, 1/150, 1/180, 1/200	MZ9G75B~MZ9G200B	○
		1/3, 1/3.6, 1/5, 1/6, 1/7.5, 1/9	MY9G3B~MY9G9B	○
		1/10, 1/12.5, 1/15, 1/18	MY9G10B~MY9G18B	○
		1/20, 1/25, 1/30, 1/36, 1/50, 1/60	MY9G20B~MY9G60B	○
		1/75, 1/90, 1/100, 1/120, 1/150, 1/180, 1/200	MY9G75B~MY9G200B	

尺寸 (mm)	減速比	齿轮头			
		金属轴承 页	铰链		
□42					
	1/3, 1/3.6, 1/5, 1/6, 1/7.5, 1/9, 1/10, 1/12.5, 1/15, 1/18	MX6G3MA~MX6G18MA			
□60	1/20, 1/25, 1/30, 1/36	MX6G20MA~MX6G36M			
	1/50, 1/60, 1/75, 1/90, 1/100, 1/120, 1/150, 1/180	MX6G50M~MX6G180M			
	1/3,1/3.6, 1/5, 1/6, 1/7.5, 1/9, 1/10, 1/12.5, 1/15, 1/18	MX7G3MA~MX7G18MA			
□70	1/20, 1/25, 1/30, 1/36	MX7G20MA~MX7G36M			
	1/50, 1/60, 1/75, 1/90, 1/100, 1/120, 1/150, 1/180	MX7G50M~MX7G180M			
	1/3,1/3.6, 1/5, 1/6, 1/7.5, 1/9, 1/10, 1/12.5, 1/15, 1/18	MX8G3M~MX8G18M			
□80	1/20, 1/25, 1/30, 1/36	MX8G20M~MX8G36M			
	1/50, 1/60, 1/75, 1/90, 1/100, 1/120, 1/150, 1/180	MX8G50M~MX8G180M			
	1/3,1/3.6, 1/5, 1/6, 1/7.5, 1/9, 1/10, 1/12.5, 1/15, 1/18	MX9G3M~MX9G18M			
□90	40W	1/20, 1/25, 1/30, 1/36	MX9G20M~MX9G36M		
		1/50, 1/60, 1/75, 1/90, 1/100, 1/120, 1/150, 1/180	MX9G50M~MX9G180M		
	60W · 90W 共用				


电动机机型一览表

齿轮头/中间齿轮头

尺寸 (mm)	减速比	齿轮头		
		滚珠轴承+金属轴承 	铰链	
		页		
□42	1/3, 1/3.6, 1/5, 1/6, 1/7.5, 1/9, 1/12.5, 1/15, 1/18	M4GA3F~M4GA18F		
	1/25, 1/30, 1/36, 1/50, 1/60	M4GA25F~M4GA60F		
	1/75, 1/90, 1/100, 1/120, 1/150, 1/180	M4GA75F~M4GA180F		
□60				
□70				
□80				
□90	40W			
	60W · 90W 共用			

尺寸 (mm)	減速比	大功率型齿轮头	
		 页	铰链
□90	1/50, 1/60	MR9G50B~MR9G60B	
	1/75, 1/90, 1/100, 1/120, 1/150, 1/180, 1/200	MR9G75B~MR9G200B	
	1/50, 1/60	MP9G50B~MP9G60B	○
	1/75, 1/90, 1/100, 1/120, 1/150, 1/180, 1/200	MP9G75B~MP9G200B	○

尺寸 (mm)	減速比	正交轴齿轮头		
		 页	铰链	
□90	40W	1/3, 1/3.6, 1/5, 1/6, 1/7.5, 1/9, 1/12.5, 1/15, 1/18	MX9G3R~MX9G18R	
		1/25, 1/30, 1/36	MX9G25R ~MX9G36R	
		1/50, 1/60, 1/75, 1/90, 1/100, 1/120, 1/150, 1/180	MX9G50R~MX9G180R	
	60W · 90W 共用	1/3, 1/3.6, 1/5, 1/6, 1/7.5, 1/9, 1/12.5, 1/15, 1/18, 1/25	MZ9G3R~MZ9G25R	
		1/30, 1/36, 1/50, 1/60,	MZ9G30R~MZ9G60R	
		1/75, 1/90, 1/100, 1/120, 1/150, 1/180, 1/200	MZ9G75R~MZ9G200R	

尺寸 (mm)	減速比	中间齿轮头	适用齿轮头
		 页	
□60	1/10	MX6G10XB	MX6G□BA
□70	1/10	MX7G10XB	MX7G□BA
□80	1/10	MX8G10XB	MX8G□B
□90	40W	MX9G10XB	MX9G□B
	60W · 90W 共用	MZ9G10XB	MZ9G□B MY9G□B MR9G□B MP9G□B